



**Intertek Testing Services Shenzhen Ltd. Xiamen Branch**

Unit 2C, 2/F. & Unit 4C/4D/4L, 4/F, Xinglian Building, No. 2, Chuangxin Road,  
Huoju Hi-tech Zone, Xiamen, Fujian, China

**深圳天祥质量技术服务有限公司厦门分公司**

福建省厦门火炬高新区创新路2号兴联电声大厦二楼2C和四楼4C、4D、4L, 361006

Tel: +86 592 8063 3380 Fax: +86 592 8060 054



## Test Report

Applicant : ZHEJIANG JUYITANG GARMENTS CO.,LTD  
NO.301 QIANFANG AVENUE,PUJIANG COUNTY  
JINHUA CITY,ZHEJIANG PROVINCE CHINA

Issue Date : May 07, 2026

Attn : 余文慧

### SAMPLE DESCRIPTION AS DECLARED

No. of Sample	One
Fibre Content	82.5% polyeste 17.5% spandex
Material	Knitted Fabric
Finishing	-
End Uses	Clothing
Season	-
Colour	Pink
Style No.	MCZN23P6301
Order No./PO No.	-
Standard	-
Buyer's Name	-
Manufacturer's Name	-
Ref	-
Receive Date	Apr 22, 2026
Confirmation Date	-

## Conclusions

### Test Item

Per- and Polyfluoroalkyl Substances (PFAS) Content

P

### Note:

Tests presented in this report are conducted as requested by Applicant.

P = Pass      F = Fail      # = No Comment      C = Conform Label  
N/A = Not Applicable      - = Did Not Perform      \* = See Remark

Approved By:

Intertek Testing Services Shenzhen Ltd.  
Xiamen Branch



Robin Luo  
Lab Manager

Prepared By: Leo GZ Chen

**Intertek Testing Services Shenzhen Ltd. Xiamen Branch**

Unit 2C, 2/F. & Unit 4C/4D/4L, 4/F, Xinglian Building, No. 2, Chuangxin Road,  
Huoju Hi-tech Zone, Xiamen, Fujian, China

深圳天祥质量技术服务有限公司厦门分公司

福建省厦门火炬高新区创新路2号兴联大厦二、三、四、五楼2C和四楼4C、4D、4L, 361006

Tel: +86 592 8063 3380 Fax: +86 592 8060 054



**1 Per- and Polyfluoroalkyl Substances (PFAS) Content**

For All PFAS As Measured By Total Organic Fluorine, With Reference to ASTM D7359:2023, By Combustion Ion Chromatography (CIC).

Compound	Result In ppm (1)	Requirement In ppm
Total Organic Fluorine	ND	50

Remark:	Reporting limit = 20 ppm
	ND = Not Detected
	ppm = Parts per million = mg/kg

With Reference to EN 17681-1:2025 by Alkaline Hydrolysis Method and Determined By Liquid Chromatographic – Tandem Mass Spectrometric (LC-MS/MS).

Substance	CAS No.	Result In in ppb (1)	D.L. in ppb	Limits In ppb
Perfluorooctane Sulfonates (PFOS) and its salts				
Perfluorooctanesulfonic acid (PFOS)	1763-23-1			
Perfluorooctanesulfonic acid, potassium salt (PFOS-K)	2795-39-3			
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5			
Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)	29081-56-9			
Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )	70225-14-8	ND	10	25
Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3			
Didecyl dimethyl ammonium perfluorooctane sulfonate (PFOS-N(C <sub>10</sub> H <sub>21</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> )	251099-16-8			
PFOS Related Substances				
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	4151-50-2	ND	10	--
N-Methylperfluoro-1-octanesulfonamide (N-Me-FOSA)	31506-32-8	ND	10	--
2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)	1691-99-2	ND	10	--
2-(N-Methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)	24448-09-7	ND	10	--
Perfluorooctane sulfonamide (PFOSA)	754-91-6	ND	10	--
Perfluoro-1-octanesulfonyl fluoride (POSF) #	307-35-7	ND	10	
Sum of PFOS Related Substances	--	ND	--	1000
Perfluorooctane Acid (PFOA) and its salts				
Perfluorooctanoic acid (PFOA)	335-67-1			
Sodium perfluorooctanoate (PFOA-Na)	335-95-5			
Potassium perfluorooctanoate (PFOA-K)	2395-00-8			
Silver perfluorooctanoate (PFOA-Ag)	335-93-3	ND	10	25
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0			
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1			
PFOA-Related Substances				

1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	ND	25	--
2-Perfluorooctylethanol (8:2 FTOH)	678-39-7	ND	25	--
Sum of PFOA-Related Substances	--	ND	--	1000
Perfluorohexane-1-Sulphonic Acid (PFHxS) and its salts				
Perfluorohexane Sulfonic acid (PFHxS)	355-46-4			
Perfluorohexane Sulfonic acid, potassium salt (PFHxS-K)	3871-99-6			
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	55120-77-9			
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	68259-08-5	ND	10	25
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	82382-12-5			
PFHxS-related Substances				
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	68259-15-4	ND	25	--
Perfluorohexane sulfonamide (PFHxSA)	41997-13-1	ND	25	--
Sum of PFHxS Related Substances	--	ND	--	1000
C9-C14 Perfluorocarboxylic Acids (PFCAs) and their salts				
Perfluorononanoic Acid (PFNA, C9-PFCA)	375-95-1	ND	10	--
Perfluorodecanoic Acid (PFDA, C10-PFCA)	335-76-2	ND	10	--
Perfluoroundecanoic Acid (PFUnA, C11-PFCA)	2058-94-8	ND	10	--
Perfluorododecanoic Acid (PFDoA, C12-PFCA)	307-55-1	ND	10	--
Perfluorotridecanoic Acid (PFTrDA, C13-PFCA)	72629-94-8	ND	10	--
Perfluorotetradecanoic Acid (PFTeDA, C14-PFCA)	376-06-7	ND	10	--
Perfluoro-3-7-dimethyloctanecarboxylate (PF-3,7-DMOA)	172155-07-6	ND	10	--
Sum of C9-C14 (PFCAs) and Their Salts	--	ND	--	25
C9-C14 PFCA-Related Substances				
1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)	865-86-1	ND	25	--
2H,2H,3H,3H-Perfluoroundecanoic acid (H4PFUnA)	34598-33-9	ND	25	--
Perfluorocylethanol 8:2 (8:2 FTOH)	678-39-7	ND	25	--
1H,1H,2H,2H-perfluorotetradecan-1-ol (12:2 FTOH)	39239-77-5	ND	25	--
1H,1H,2H,2H-Perfluorodecanesulphonic acid (10:2 FTS)	120226-60-0	ND	25	--
Sum of C9-C14 PFCA-Related Substances	--	ND	--	260
PFHxA, Its Salts				
Perfluorohexanoic Acid (PFHxA, C6-PFCA)	307-24-4	ND	10	25
PFHxA Related Substances				
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	ND	25	--
1H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)	647-42-7	ND	25	--
Sum of PFHxA Related Substances	--	ND	--	1000

Remark:	ppb =Parts Per Billion= µg/kg
	D.L. = Detection Limit
	ND = Not Detected
	# = The Reported Value Was Calculated by Perfluorooctanesulfonic Acid (PFOS)

2H,2H-Perfluorodecanoic acid (H2PFDA) (CAS no. 27854-31-5), 1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) (CAS no. 2043-54-1) and 1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) (CAS no. 30046-31-2) are not covered under EN 17681-1:2025 and not analyzed, it is important to check your supply chain to make sure it is not present in input chemistry.

**Intertek Testing Services Shenzhen Ltd. Xiamen Branch**

Unit 2C, 2/F. & Unit 4C/4D/4L, 4/F, Xingliang Building, No. 2, Chuangxin Road,  
Huoju Hi-tech Zone, Xiamen, Fujian, China

深圳天祥质量技术服务有限公司厦门分公司

福建省厦门火炬高新区创新路2号兴联大厦二、三、四、五楼2C和四楼4C、4D、4L, 361006

Tel: +86 592 8063 3381 Fax: +86 592 8060 054

The compounds FTA, FTMA are included in the corresponding FTOH compounds and Me-PFOA, Et-PFOA are included in the corresponding PFOA compounds:

Compounds	CAS No.
1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA)	17527-29-6
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9
1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)	17741-60-5
1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMA)	2144-53-8
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9
1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA)	2144-54-9
Methyl perfluorooctanoate (Me-PFOA)	376-27-2
Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5

No.	Component
(1)	Medium pink knitted fabric

End of Report

The statement of conformity in this report is based on the decision rules agreed upon by the Client. Intertek has taken into account the measurement uncertainty calculated by the laboratory. This applies only where no specific decision rules are defined by the Client, regulatory requirements, or standard specifications. Please note that the applied decision rule is applicable solely to numerical test results. For any other cases where specific decision rules have been established by the Client, regulations, or standards, those rules will take precedence over the general guidelines used herein.

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client, Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>, Intertek assumes no liability to any party, other than to the Client in accordance with responsible for all the information provided in the reports, except when information is provided the agreement, for any loss, expense or damage occasioned by the use of this report, Intertek is responsible for all the information provided in the report, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

All samples information provided in this report was submitted by the Client. The Client is solely responsible for the accuracy and completeness of the samples and associated information. The observations and test results in this report are relevant to the sample(s) tested and submitted by client, The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full, Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek, This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

**Intertek Testing Services Shenzhen Ltd. Xiamen Branch**

Unit 2C, 2/F. & Unit 4C/4D/4L, 4/F, Xinglian Building, No. 2, Chuangxin Road,  
Huoju Hi-tech Zone, Xiamen, Fujian, China

深圳天祥质量技术服务有限公司厦门分公司

福建省厦门火炬高新区创新路2号兴联大厦二楼2C和四楼4C、4D、4L, 361006

Tel: +86 592 8063 3390 Fax: +86 592 8060 054

